

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L18	13	"725"/\$.ccls. and "709"/\$.ccls. and ((multiple many different) adj (rooms locations place)) and (profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 13:28
L19	450	"709"/\$.ccls. and ((multiple many different) adj (rooms locations place)) and (profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 13:29
L20	349	19 not advertisement	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 13:29
L21	20	20 and (set-top stb stt)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 13:29
L34	1	("6772212").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/19 13:44
S2	2867	istvan.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 10:13
S5	3	S2 and 725/32,139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 14:11
S6	1	S2 and 709/222.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 15:32
S7	1	S2 and 725/117.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 15:47
S9	215	725/117,148.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:01

S11	5	((("6667992") or ("6496862") or ("6005861") or ("6076166") or ("5917537")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/14 08:18
S12	127	725/117.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 15:43
S13	91	725/148.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 16:29
S14	3	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 16:29
S18	215	725/117,148.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 10:31
S20	5	S18 and configuration adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 11:31
S21	8	S18 and user adj (profile object)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 11:32
S24	4378	user and config\$9 and parameter and (set-top STB PC 'access device') and log\$5 and password and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 11:52
S25	149	S24 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 11:53
S26	917	user adj (profile object) and config\$9 and parameter and (set-top STB PC 'access (device object unit)') and log\$5 and password and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 13:45

S27	30	S26 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 13:45
S28	767	user adj (profile object) and config\$9 and parameter and (set-top STB PC 'access (device object unit)') and account and password and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 13:48
S29	178	"199" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 13:46
S30	27	S28 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 13:48
S31	1250	user adj (profile object account login) and config\$9 and parameter and (set-top STB PC 'access (device object unit)') and account and password and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 15:17
S32	36	S31 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 13:48
S33	5	((("5990885") or ("6005861") or ("5523781") or ("5926207") or ("6182287")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/13 14:22
S34	19	((('access device' set-top STB 'web appliance') and interface).ti. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 15:22
S35	11	('access device' set-top STB 'web appliance') and interface and (server near7 new adj device near7 added) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 15:24
S37	1	("6269473").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/13 16:50

S38	1	("6163272").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/13 16:50
S40	22	(detect notice recognize identify discover) near4 (new latest original) adj2 (device apparatus appliance object installation add-on) and 713/1,2.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 08:56
S41	8	(detect notice recognize identify discover) near4 (new latest original) adj2 (device apparatus appliance object installation add-on) and "725"/\$.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 10:45
S42	104	(detect notice recognize identify discover) near4 (new latest original) adj2 (device apparatus appliance object installation add-on) and "709"/\$.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 15:14
S44	22	(detect notice recognize identify discover) near4 (new latest original) adj2 (device apparatus appliance object installation add-on) and "348"/\$.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 09:12
S45	30	(detect notice recognize identify discover) near4 (new latest original) adj2 (device apparatus appliance object installation add-on) and "711"/\$.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 09:12
S46	13	(server) near4 (new latest original) adj2 (device apparatus appliance object installation add-on) and "725"/\$.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 10:48
S47	107	(new latest original) adj (device apparatus appliance object installation add-on) and "725"/\$.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 10:48

S48	20	(new latest original) adj (device apparatus appliance object installation add-on) same config\$7 and "725"/\$.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 10:49
S49	430	user near config\$7 near4 log\$3 and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/14 15:59
S51	2	("6061332" "6496858").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/14 16:00
S52	8	("4578567" "5495533" "5550575" "5579489" "5675647" "5706507" "5933603").PN. OR ("6163272").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/14 16:03
S53	1326	709/220,222.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:20
S54	528	709/220,222.ccls. and ((detect notice recognize identify discover) same (device apparatus)) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 08:54
S55	25	709/220,222.ccls. and ((detect notice recognize identify discover) same (device apparatus)) and (set-top) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 09:14
S56	3	((("6687817") or ("6667992") or ("6526581"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 09:15
S57	2	("6061332" "6496858").PN. OR ("6687817").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 09:15
S58	13	("5694544" "5778377" "5825432" "5883621" "5887193" "5990884" "6046722" "6182094" "6259679" "6288716" "6370550").PN. OR ("6667992").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 09:22

S59	35	("5010399" "5130793" "5321846" "5630204" "5708961" "5756280" "5774527" "5781892" "5790548" "5847751" "5880864" "5886732" "5886752" "5892758" "6219042" "6219409" "6230194" "6272212" "6308213" "6317742" "6317884" "6385653" "6388399" "6452923").PN. OR ("6526581"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 09:33
S60	12	709/220,222.ccls. and "725"/\$.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/15 08:26
S62	37	istvan-anthony-f.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 14:41
S63	21	istvan-anthony-f.in. and (((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 14:38
S64	317	715/866.ccls. and (((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:44
S65	409	709/222.ccls. and (((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 10:17
S66	1033	709/220.ccls. and (((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 10:17
S68	3	broadus-james-c.in. and (((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 14:25
S69	149	725/78.ccls. and (((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 13:37

S70	84	725/78.ccls. and (detect notice recognize identify discover) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 13:37
S71	868	713/1.ccls. and (detect notice recognize identify discover) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 13:57
S72	704	713/2.ccls. and (detect notice recognize identify discover) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 10:49
S73	219	713/2.ccls. and (detect notice recognize identify discover) with (device set-top stb modem cable adj box) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 10:50
S74	290	713/1.ccls. and (detect notice recognize identify discover) with (device set-top stb modem cable adj box) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 10:50
S75	37	713/1.ccls. and (detect notice recognize identify discover) with (device set-top stb modem cable adj box) and (user adj profile user adj object profile preference) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 10:51
S76	27	713/2.ccls. and (detect notice recognize identify discover) with (device set-top stb modem cable adj box) and (user adj profile user adj object profile preference) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 11:02
S77	181	713/2.ccls. and (detect notice recognize identify discover) with (device set-top stb modem cable adj box) and (configuration) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 11:02
S78	238	713/1.ccls. and (detect notice recognize identify discover) with (device set-top stb modem cable adj box) and (configuration) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 11:03

S79	9	713/1.ccls. and (detect notice recognize identify discover) with (device set-top stb modem cable adj box) and (configuration) and (user adj object user adj profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 11:03
S80	23	713/1.ccls. and (detect notice recognize identify discover) with (device set-top stb modem cable adj box) and (configuration) and (user adj object user adj profile profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 13:15
S81	16	713/1.ccls. and (server headend head-end head adj end) with (detect notice recognize identify discover) with (device set-top stb modem cable adj box) and (configuration) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 11:37
S82	8	713/2.ccls. and (server headend head-end head adj end) with (detect notice recognize identify discover) with (device set-top stb modem cable adj box) and (configuration) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 11:39
S83	8	713/2.ccls. and (server headend head-end head adj end) with (detect notice recognize identify discover) with (device set-top stb modem cable adj box) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 11:39
S84	6	713/1.ccls. and "725"/\$.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 13:15
S85	3	713/2.ccls. and "725"/\$.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 13:15
S86	65	S69 not S70	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 13:38

S87	63	715/866.ccls. and (detect identify recognize) and (set-top stb terminal) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:45
S88	8	715/866.ccls. and (detect identify recognize) and (set-top stb terminal) and (user adj profile profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:47
S89	14	709/222.ccls. and (detect identify recognize) and (set-top stb terminal) and (user adj profile profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:47
S90	4	709/222.ccls. and (detect identify recognize) with (set-top stb terminal) and (user adj profile profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:51
S91	2982	(detect identify recognize) with (set-top stb terminal) and (user adj profile profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:51
S92	70	(detect identify recognize) with (set-top stb) and (user adj profile profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:52
S93	56	(detect identify recognize) with (set-top stb) and (server headend head-end head adj end) and (user adj profile profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:18
S95	24	S93 not advertisement	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:19
S96	67	725/98.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:24
S97	212	725/139.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 08:26

S98	10	S97 and user adj profile	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 08:26
S99	220	713/1.ccls. and 713/2.ccls. and (detect recognize identify discover) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 13:57
S100	75	713/1.ccls. and 713/2.ccls. and (detect recognize identify discover) near9 (pc computer access adj device stb terminal set-top cable adj box catv adj box subscriber adj box) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:00
S101	67	"725"/\$.ccls. and "713"/\$.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:54
S102	12	"725"/\$.ccls. and "709"/220,222.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:02
S103	8	"725"/\$.ccls. and "713"/1,2,3.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:02
S104	12	"725"/\$.ccls. and "709"/222,220.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 14:54
S105	459	((detect recognize identify discover) near4 (device apparatus appliance object installation computer pc stb set-top add-on)) with (server head-end head adj end headend) and (user adj (settings profile preferences configuration)) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 15:17

S10 6	457	((detect recognize identify discover) near4 (device apparatus appliance object installation computer pc stb set-top add-on)) with (server head-end head adj end headend) and (user adj (settings profile preferences configuration)) and (television multimedia tv network video) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 15:18
S10 7	333	((detect recognize identify discover) near4 (device apparatus appliance object installation computer pc stb set-top add-on)) with (server head-end head adj end headend) and (user adj (settings profile preferences configuration)) and (television multimedia tv video) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 15:20
S10 8	3065	(client adj system cs access device stb set-top pc apparatus device) and (household home) and (server headend head adj end) and (user adj (object profile)) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 15:23
S10 9	12	S108 and ticket adj number	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 15:23
S11 0	3030	(client adj system cs access adj device stb set-top pc apparatus device) and (household home) and (server headend head adj end) and (user adj (object profile)) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 15:24
S11 1	12	S110 and ticket adj number	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 15:23
S11 2	2713	(client adj system cs access adj device stb set-top pc) and (household home) and (server headend head adj end) and (user adj (object profile)) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 15:25

S11 3	1588	S112 and (multimedia television tv)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 15:25
S11 4	409	(client adj system cs access adj device stb set-top pc) same (household home) and ((server headend head adj end) same (user adj (object profile))) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 15:28
S11 5	4	((detect recognize find identify) adj6 (client adj system cs access adj device stb set-top pc)) same (household home) and ((server headend head adj end) same (user adj (object profile))) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 15:27
S11 6	137	((detect recognize find identify) adj6 (client adj system cs access adj device stb set-top pc)) and ((server headend head adj end) same (user adj (object profile))) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 15:51
S11 7	247	server adj5 (detect identify) adj3 (installation new add)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 16:01
S11 8	1	("6604127").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/12 15:56
S11 9	1	("6185611").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/12 15:56
S12 0	145	server adj5 (detect identify) adj3 (installation new add) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/12 16:02
S12 1	150	709/220,222.ccls. and ((detect recognize identify discover) adj4 (pc computer access adj device pda stb terminal set-top)) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/15 08:29

S12 2	4	avaya.as. and baker.in. and link	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/15 14:56
S12 3	1	("6922721").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/15 14:57
S12 4	1	("6823055").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/15 14:57
S12 5	1	("6182094").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/15 14:57
S12 7	35	united adj video.as. and hassell.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/15 16:29
S12 9	1	united adj video.as. and hassell.in. and default adj user	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/15 16:32
S13 0	23	("5040131" "5130800" "5146335" "5398074" "5434625" "5500683" "5504536" "5585838" "5631710" "5635987" "5675389" "5680177" "5715013" "5844620" "6005565" "6057836" "6081830" "6243145" "6249320" "6288751" "6310631" "6310655" "6351467").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/15 16:35
S13 1	3	("1213919").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/15 16:35
S13 3	1	("6667992").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/16 08:23

S13 4	197	united adj video.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 08:23
S13 5	111	S134 and ellis.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 08:24
S13 6	96	S135 and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 10:14
S13 7	611	scientific-atlanta.as. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 08:39
S13 8	16	S137 and rodriguez	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 08:40
S14 2	27	S137 and (profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 08:44
S14 3	131	S137 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 08:44
S14 4	12	S143 and preferences	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 08:44

S14 6	68	("4994908" "5001554" "5036314" "5105184" "5155591" "5223924" "5233423" "5319445" "5325183" "5377317" "5398074" "5410344" "5440678" "5465113" "5479497" "5523796" "5526034" "5534911" "5541662" "5557338" "5559548" "5559549" "5559550" "5583560" "5585838" "5585866" "5594509" "5600364" "5621456" "5625406" "5629733" "5635978" "5635989" "5650826" "5650831" "5652613" "5652615" "5659350" "5661516" "5666498" "5689666" "5710601" "5734853" "5754938" "5758259" "5801787" "5805204" "5850218" "5886732" "5969748" "5982411" "5990885" "0560593" "6009465" "6025869" "6049823" "6144401" "6157411" "6188397" "6202211" "6237049" "6286142" "6288716" "6298482" "6305018" "6317884" "6622304").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 09:00
S14 8	1	("6667992").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/16 10:13
S14 9	64	sony.as. and (discovery plug adj1 play) and (configur\$5) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 10:16
S15 0	11	S149 and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 10:15
S15 1	3587	sony.as. and (discovery detect find identify and recognize) and (configur\$5) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 10:16
S15 2	191	sony.as. and (discovery detect find identify and recognize) and (configur\$5) and profile and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 10:16
S15 3	22	sony.as. and (discovery detect find identify and recognize) and (configur\$5) and profile and preference and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 10:16

S15 4	22	725/117.ccls. and (profile preference) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 13:33
S15 5	21	725/78.ccls. and (profile preference) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 13:33
S15 6	11	725/98.ccls. and (profile preference) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 13:34
S15 7	11	725/148.ccls. and (profile preference) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 13:34
S15 8	165	725/139,151,131.ccls. and (profile preference) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 13:34
S15 9	1	("6618858").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/16 13:34
S16 0	15	("5710918" "5721908" "5922049" "5991800" "6018768" "6338094" "6349410" "6351467" "6351773" "6396531" "6459427" "6463533" "6490727" "6530086" "6543052").PN. OR ("6618858").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/16 16:06
S16 1	1	home adj liquidating.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 08:39
S16 2	3	gautier-taylor-s.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/17 08:39
S16 3	1	("5917537").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 14:12

S16 4	4	("6005861" "6076166" "6496862" "6667992").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 14:25
S16 7	10	"S62" and ticket adj number	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 14:39
S16 8	4	istvan-anthony-f.in. and (ticket adj number).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 15:43
S16 9	1446	version adj (control number) same updat\$4 and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 15:44
S17 0	52	"725"/\$.ccls. and version adj (control number) same updat\$4 and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 08:19
S17 1	319	"709"/\$.ccls. and version adj (control number) same updat\$4 and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 08:23
S17 2	5	"709"/\$.ccls. and version adj (control number) same updat\$4 same (stb set-top) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 08:37
S17 3	6	"709"/\$.ccls. and "725"/\$.ccls. and version adj (control number) same updat\$4 and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 09:26
S17 4	69	725/80.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 09:30
S17 5	13	725/80.ccls. and (profile preference) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 09:39

S17 6	14	725/82.ccls. and (profile preference) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 09:59
S17 7	34	725/132.ccls. and (profile preference) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 10:33
S17 8	126	725/132.ccls. and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 10:34
S17 9	58	725/132.ccls. and (stb set-top) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 10:39
S18 0	53	725/132.ccls. and version and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 11:13
S18 1	9	725/132.ccls. and version and profile and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 10:39
S18 2	31	725/133.ccls. and (preference profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 11:33
S18 3	50	725/140,141.ccls. and (preference profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 11:35
S18 4	0	725/80,82,132,133,140,141.ccls. and (ticket adj number) and (profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 11:35
S18 5	1	725/80,82,132,133,140,141.ccls. and (version adj number) and (profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 11:37

S18 6	7	725/80,82,132,133,140,141.ccls. and ((multiple different many) adj (rooms locations place)) and (profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 11:38
S18 7	19	"725"/\$.ccls. and ((multiple many) adj (rooms locations place)) and (profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 11:44
S18 9	90	"725"/\$.ccls. and ((multiple many different) adj (rooms locations place)) and (profile) and ((@ad<="20010207") or (@rlad<="20010207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 13:18
S19 0	37	S189 not advertisement	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/19 11:49